



PLATE & SCREW SYSTEMS




Veterinary Implant &
Surgery Instrument

Tel : 062)970-3071
Mobile : 010-8615-5304
E-mail : gyuha@naver.com


www.topis.kr





General [DCP Plate] : $\varnothing 1.5 \sim \varnothing 2.0$ Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
101-10004	26.0	5.5	1.0	4	30,000	
101-20004	26.0	5.5	1.5	4	30,000	
101-10005	32.0	5.5	1.0	5	30,000	
101-20005	32.0	5.5	1.5	5	30,000	
101-10006	38.0	5.5	1.0	6	30,000	
101-20006	38.0	5.5	1.5	6	30,000	
101-10007	44.0	5.5	1.0	7	30,000	
101-20007	44.0	5.5	1.5	7	30,000	
101-10025	151.0	5.5	1.0	25	90,000	
101-20025	151.0	5.5	1.5	25	90,000	



General [L - Plate] : $\varnothing 1.5 \sim \varnothing 2.0$ Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
102-10102	19.6	5.0	1.0	2/Right	30,000	
102-10103	24.6	5.0	1.0	3/Right	30,000	
102-10104	29.6	5.0	1.0	4/Right	30,000	
102-10202	19.6	5.0	1.0	2 / Left	30,000	
102-10203	24.6	5.0	1.0	3 / Left	30,000	
102-10204	29.6	5.0	1.0	4 / Left	30,000	



General [L - Plate, Oblique] : Ø1.5 ~ Ø2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
103-10102	21.7	5.0	1.0	2/Right	30,000	 
103-10103	26.7	5.0	1.0	3/Right	30,000	
103-10104	31.7	5.0	1.0	4/Right	30,000	
103-10202	21.7	5.0	1.0	2 / Left	30,000	
103-10203	26.7	5.0	1.0	3 / Left	30,000	
103-10204	31.7	5.0	1.0	4 / Left	30,000	


General [T(2H) - Plate] / General [T(3H) - Plate] : Ø1.5 ~ Ø2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
104-10002	19.6	5.0	1.0	2	30,000	 
104-10003	24.6	5.0	1.0	3	30,000	
104-10004	29.6	5.0	1.0	4	30,000	
104-20002	19.6	5.0	1.5	2	30,000	
104-20003	24.6	5.0	1.5	3	30,000	
104-20004	29.6	5.0	1.5	4	30,000	
104-10103	24.6	5.0	1.0	3	30,000	
104-10104	29.6	5.0	1.0	4	30,000	
104-20103	24.6	5.0	1.5	3	30,000	
104-20104	29.6	5.0	1.5	4	30,000	


General [Position T(3H) - Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
104-10203	24.6	5.0	1.0	3	35,000	  <div> <div>104-10203</div> <div>104-10204</div> </div>
104-10204	29.6	5.0	1.0	4	35,000	
104-20203	24.5	5.0	1.5	3	35,000	
104-20204	29.6	5.0	1.5	4	35,000	

General [Straight Plate] : Ø 1.5 ~ Ø 2.0 Screw 용


제품번호	길이	폭	두께	Hole	가격(원)	형 상
105-10004	21.2	5.0	1.0	4	30,000	 <div>105-10004</div> <div>105-20004</div>
105-20004	21.2	5.0	1.5	4	30,000	
105-10005	26.2	5.0	1.0	5	30,000	
105-20005	26.2	5.0	1.5	5	30,000	
105-10006	31.2	5.0	1.0	6	30,000	
105-20006	31.2	5.0	1.5	6	30,000	
105-10007	36.2	5.0	1.0	7	30,000	
105-20007	36.2	5.0	1.5	7	30,000	
105-10020	101.2	5.0	1.0	20	60,000	
105-20020	101.2	5.0	1.5	20	60,000	
105-10030	151.2	5.0	1.0	30	90,000	
105-20030	151.2	5.0	1.5	30	90,000	

General [Reconstruction Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
106-10004	20.0	5.0	1.0	4	30,000	 106-10004 106-20004
106-20004	20.0	5.0	1.5	4	30,000	
106-10005	25.0	5.0	1.0	5	30,000	
106-20005	25.0	5.0	1.5	5	30,000	
106-10006	30.0	5.0	1.0	6	30,000	
106-20006	30.0	5.0	1.5	6	30,000	
106-10007	35.0	5.0	1.0	7	30,000	
106-20007	35.0	5.0	1.5	7	30,000	
106-10020	100.0	5.0	1.0	20	60,000	
106-20020	100.0	5.0	1.5	20	60,000	
106-10030	150.0	5.0	1.0	30	90,000	
106-20030	150.0	5.0	1.5	30	90,000	

General Mini Screw [Self Tapping Type Cortical Screw] : Titanium

General Mini Cortical Screw [Ø1.5] : Star Socket Head



제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
215-20006	Ø 1.5	Ø 1.0	Ø 3.5	6	7,000	<div> <div>215-20006</div>  </div>
215-20008	Ø 1.5	Ø 1.0	Ø 3.5	8	7,000	
215-20010	Ø 1.5	Ø 1.0	Ø 3.5	10	7,000	
215-20012	Ø 1.5	Ø 1.0	Ø 3.5	12	7,000	
215-20014	Ø 1.5	Ø 1.0	Ø 3.5	14	7,000	

General Mini Cortical Screw [Ø2.0] : Hexagon Socket Head



제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
220-21006	Ø 2.0	Ø 1.4	Ø 3.5	6	7,000	<div> <div>220-21006</div>  </div>
220-21008	Ø 2.0	Ø 1.4	Ø 3.5	8	7,000	
220-21010	Ø 2.0	Ø 1.4	Ø 3.5	10	7,000	
220-21012	Ø 2.0	Ø 1.4	Ø 3.5	12	7,000	
220-21014	Ø 2.0	Ø 1.4	Ø 3.5	14	7,000	
220-21016	Ø 2.0	Ø 1.4	Ø 3.5	16	7,000	
220-21018	Ø 2.0	Ø 1.4	Ø 3.5	18	7,000	
220-21020	Ø 2.0	Ø 1.4	Ø 3.5	20	7,000	

Locking Mini Plate [for Ø 1.5 ~ Ø 2.0 Screw] : Titanium






Locking [T(2H) - Plate] / Locking [T(3H) - Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
104-12002	21.6	6.0	2.0	2	40,000	<div> <div>104-12002</div>  <div>104-12103</div>  </div>
104-12003	27.6	6.0	2.0	3	40,000	
104-12004	33.6	6.0	2.0	4	40,000	
104-12103	27.6	6.0	2.0	3	40,000	
104-12104	33.6	6.0	2.0	4	40,000	






Locking [Position T(3H) - Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	
104-12203	27.6	6.0	2.0	3	45,000	<div> <div>104-12203</div>  <div>104-12204</div>  </div>
104-12204	33.6	6.0	2.0	4	45,000	








Locking [Straight Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
105-12004	25.2	6.0	2.0	4	40,000	105-12004 
105-12005	31.2	6.0	2.0	5	40,000	105-12005 
105-12006	37.2	6.0	2.0	6	40,000	105-12006 
105-12007	43.2	6.0	2.0	7	40,000	105-12007 
105-12025	151.2	6.0	2.0	25	120,000	105-12025 





Locking [Reconstruction Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
106-12004	24.0	6.0	2.0	4	40,000	106-12004 
106-12005	30.0	6.0	2.0	5	40,000	106-12005 
106-12006	36.0	6.0	2.0	6	40,000	106-12006 
106-12007	42.0	6.0	2.0	7	40,000	106-12007 
106-12025	150.0	6.0	2.0	25	120,000	106-12025 










Locking [LCP T(3H)-Plate] / Locking [LCP St.-Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상			
104-12112	22.5	6.0	2.0	2	80,000	104-12112		105-12104	
104-12113	30.0	6.0	2.0	3	80,000				
104-12114	37.5	6.0	2.0	4	80,000				
105-12104	33.0	6.0	2.0	4	80,000	104-12113		105-12105	
105-12105	40.5	6.0	2.0	5	80,000			105-12106	
105-12106	48.0	6.0	2.0	6	80,000	104-12114		105-12107	
105-12107	55.5	6.0	2.0	7	80,000				

Locking [TPLO(3H) Plate] : Ø 1.5 ~ Ø 2.0 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상			
107-12103	29.0	5.0	2.0	3/Right	60,000	107-12103		107-12203	
107-12104	34.0	5.0	2.0	4/Right	60,000				
107-12203	29.0	5.0	2.0	3/Left	60,000	107-12104		107-12204	
107-12204	34.0	5.0	2.0	4/Left	60,000				

Locking [SOP - Plate] : Ø2.0 Screw 용









제품번호	길이	폭	두께	Hole	가격(원)	형 상
108-12004	32.0	7.0	4.0	4	40,000	
108-12005	40.0	7.0	4.0	5	45,000	
108-12006	48.0	7.0	4.0	6	50,000	
108-12007	56.0	7.0	4.0	7	55,000	
108-12008	64.0	7.0	4.0	8	60,000	
108-12009	72.0	7.0	4.0	9	65,000	
108-12010	80.0	7.0	4.0	10	70,000	
108-12011	88.0	7.0	4.0	11	75,000	
108-12016	128.0	7.0	4.0	16	100,000	

Locking Mini Screw [Self Tapping Type Cortical Screw] : Titanium

Locking Mini Cortical Screw [Ø1.5] : Hexagon Socket Head







제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
215-22006	Ø 1.5	Ø 1.0	Ø 3.0	6	9,000	215-22006 
215-22008	Ø 1.5	Ø 1.0	Ø 3.0	8	9,000	215-22008 
215-22010	Ø 1.5	Ø 1.0	Ø 3.0	10	9,000	215-22010 
215-22012	Ø 1.5	Ø 1.0	Ø 3.0	12	9,000	215-22012 
215-22014	Ø 1.5	Ø 1.0	Ø 3.0	14	9,000	215-22014 

Locking Mini Cortical Screw [Ø2.0] : Hexagon Socket Head


제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
220-22006	Ø 2.0	Ø 1.4	Ø 3.0	6	9,000	220-22006 
220-22008	Ø 2.0	Ø 1.4	Ø 3.0	8	9,000	220-22008 
220-22010	Ø 2.0	Ø 1.4	Ø 3.0	10	9,000	220-22010 
220-22012	Ø 2.0	Ø 1.4	Ø 3.0	12	9,000	220-22012 
220-22014	Ø 2.0	Ø 1.4	Ø 3.0	14	9,000	220-22014 
220-22016	Ø 2.0	Ø 1.4	Ø 3.0	16	9,000	220-22016 
220-22018	Ø 2.0	Ø 1.4	Ø 3.0	18	9,000	220-22018 
220-22020	Ø 2.0	Ø 1.4	Ø 3.0	20	9,000	220-22020 

General Mid Plate [for Ø2.7 Screw] : Titanium


General [DCP Plate] : Ø2.7 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
122-10004	33.6	8.0	1.5	4	35,000	 <div>122-10004</div> <div>122-20004</div>  <div>122-10005</div> <div>122-20005</div>  <div>122-10006</div> <div>122-20006</div>  <div>122-10007</div> <div>122-20007</div>  <div>122-10008</div> <div>122-20008</div>  <div>122-20018</div>
122-20004	33.6	8.0	2.0	4	35,000	
122-10005	42.0	8.0	1.5	5	35,000	
122-20005	42.0	8.0	2.0	5	35,000	
122-10006	50.4	8.0	1.5	6	35,000	
122-20006	50.4	8.0	2.0	6	35,000	
122-10007	58.8	8.0	1.5	7	35,000	
122-20007	58.8	8.0	2.0	7	35,000	
122-10008	67.2	8.0	1.5	8	35,000	
122-20008	67.2	8.0	2.0	8	35,000	
122-20018	151.0	8.0	2.0	18	100,000	







General [L - Plate] : Ø2.7 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
123-10102	30.5	7.0	2.0	2/Right	35,000	
123-10103	38.5	7.0	2.0	3/Right	35,000	
123-10104	46.5	7.0	2.0	4/Right	35,000	
123-10202	30.5	7.0	2.0	2 / Left	35,000	
123-10203	38.5	7.0	2.0	3 / Left	35,000	
123-10204	46.5	7.0	2.0	4 / Left	35,000	






General [T(2H) - Plate] / General [T(3H) - Plate] : Ø2.7 Screw 용

제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
125-10002	29.5	7.0	2.0	2	35,000	
125-10003	37.5	7.0	2.0	3	35,000	
125-10004	45.5	7.0	2.0	4	35,000	
125-10103	37.5	7.0	2.0	3	35,000	
125-10104	45.5	7.0	2.0	4	35,000	

General [Reconstruction Plate] : Ø2.7 Screw 용



제품번호	길이	폭	두께	Hole	가격(원)	형 상
126-10004	33.6	7.0	2.0	4	35,000	     
126-10005	42.0	7.0	2.0	5	35,000	
126-10006	50.4	7.0	2.0	6	35,000	
126-10007	58.8	7.0	2.0	7	35,000	
126-10008	67.2	7.0	2.0	8	35,000	
126-10025	150.0	7.0	2.0	25	100,000	

General [Straight Plate] : Ø2.7 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
127-10004	32.0	7.0	2.0	4	35,000	     
127-10005	40.0	7.0	2.0	5	35,000	
127-10006	48.0	7.0	2.0	6	35,000	
127-10007	56.0	7.0	2.0	7	35,000	
127-10008	64.0	7.0	2.0	8	35,000	
127-10025	152.0	6.0	2.0	25	100,000	










General Mid Screw [Self Tapping Type Cortical Screw] : Titanium

General Mid Cortical Screw [Ø2.7] : Hexagon Socket Head

제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형상
227-21010	Ø2.7	Ø1.8	Ø5.0	10	8,000	<div>227-21010</div> 
227-21012	Ø2.7	Ø1.8	Ø5.0	12	8,000	
227-21014	Ø2.7	Ø1.8	Ø5.0	14	8,000	
227-21016	Ø2.7	Ø1.8	Ø5.0	16	8,000	
227-21018	Ø2.7	Ø1.8	Ø5.0	18	8,000	
227-21020	Ø2.7	Ø1.8	Ø5.0	20	8,000	<div>227-21020</div> 
227-21022	Ø2.7	Ø1.8	Ø5.0	22	8,000	
227-21024	Ø2.7	Ø1.8	Ø5.0	24	8,000	
227-21026	Ø2.7	Ø1.8	Ø5.0	26	8,000	
227-21028	Ø2.7	Ø1.8	Ø5.0	28	8,000	










Locking SOP Plate [for Ø2.7 Screw] : Titanium

Locking [SOP - Plate] : Ø2.7 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
128-12004	32.0	7.0	4.0	4	45,000	
128-12005	40.0	7.0	4.0	5	51,000	
128-12006	48.0	7.0	4.0	6	57,000	
128-12007	56.0	7.0	4.0	7	63,000	
128-12008	64.0	7.0	4.0	8	69,000	
128-12009	72.0	7.0	4.0	9	75,000	
128-12010	80.0	7.0	4.0	10	81,000	
128-12011	88.0	7.0	4.0	11	87,000	
128-12016	128.0	7.0	4.0	16	117,000	








Locking Mid Screw [Self Tapping Type Cortical Screw] : Titanium

Locking Mini Cortical Screw [Ø2.7] : Hexagon Socket Head








제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
227-22012	Ø2.7	Ø1.8	Ø5.0	12	10,000	<div> <div>227-22012</div>  <div>227-22014</div>  <div>227-22016</div>  <div>227-22018</div>  <div>227-22020</div>  <div>227-22022</div>  <div>227-22024</div>  <div>227-22026</div>  <div>227-22028</div>  </div>
227-22014	Ø2.7	Ø1.8	Ø5.0	14	10,000	
227-22016	Ø2.7	Ø1.8	Ø5.0	16	10,000	
227-22018	Ø2.7	Ø1.8	Ø5.0	18	10,000	
227-22020	Ø2.7	Ø1.8	Ø5.0	20	10,000	
227-22022	Ø2.7	Ø1.8	Ø5.0	22	10,000	
227-22024	Ø2.7	Ø1.8	Ø5.0	24	10,000	
227-22026	Ø2.7	Ø1.8	Ø5.0	26	10,000	
227-22028	Ø2.7	Ø1.8	Ø5.0	28	10,000	

General Small Plate [for Ø3.5 ~ Ø4.0 Screw] : Titanium


General [DCP Plate] : Ø3.5 ~ Ø4.0 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
131-10004	46.5	10.5	3.5	4	45,000	<div>131-10004</div>  <div>131-10005</div>  <div>131-10006</div>  <div>131-10007</div>  <div>131-10008</div>  <div>131-10009</div>  <div>131-10010</div> 
131-10005	58.2	10.5	3.5	5	48,000	
131-10006	69.9	10.5	3.5	6	51,000	
131-10007	81.6	10.5	3.5	7	54,000	
131-10008	93.3	10.5	3.5	8	57,000	
131-10009	105.0	10.5	3.5	9	60,000	
131-10010	116.7	10.5	3.5	10	63,000	


General [1/3 Tubular Plate] : Ø3.5 ~ Ø4.0 Screw 용

제품번호	길이	폭	두께	Hole	가격(원)	형 상
133-10004	46.5	9.0	1.5	4	45,000	<div>133-10004</div>  <div>133-10005</div>  <div>133-10006</div>  <div>133-10007</div>  <div>133-10008</div>  <div>133-10009</div>  <div>133-10010</div> 
133-10005	58.2	9.0	1.5	5	48,000	
133-10006	69.9	9.0	1.5	6	51,000	
133-10007	81.6	9.0	1.5	7	54,000	
133-10008	93.3	9.0	1.5	8	57,000	
133-10009	105.0	9.0	1.5	9	60,000	
133-10010	116.7	9.0	1.5	10	63,000	

General [T(3H) - Plate] : Ø3.5 ~ Ø4.0 Screw 용
















제품번호	길이	폭	두께	하부Hole	가격(원)	형 상
134-10003	50.0	11.0	1.5	3	45,000	
134-10004	60.0	11.0	1.5	4	45,000	
134-10005	70.0	11.0	1.5	5	45,000	

General [Reconstruction Plate] : Ø3.5 ~ Ø4.0 Screw 용


제품번호	길이	폭	두께	Hole	가격(원)	형 상
135-10004	46.5	10.0	2.8	4	45,000	
135-10005	58.2	10.0	2.8	5	48,000	
135-10006	69.9	10.0	2.8	6	51,000	
135-10007	81.6	10.0	2.8	7	54,000	
135-10008	93.3	10.0	2.8	8	57,000	
135-10009	105.0	10.0	2.8	9	60,000	
135-10010	116.7	10.0	2.8	10	63,000	

General Small Screw [Self Tapping Type Cortical Screw] : Titanium


General Small Cortical Screw [Ø3.5] : Hexagon Socket Head

제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
235-21012	Ø 3.5	Ø 2.4	Ø 6.0	12	9,000	<div> <div>235-21012</div>  </div> <div> <div>235-21014</div>  </div> <div> <div>235-21016</div>  </div> <div> <div>235-21018</div>  </div> <div> <div>235-21020</div>  </div> <div> <div>235-21022</div>  </div> <div> <div>235-21024</div>  </div> <div> <div>235-21026</div>  </div> <div> <div>235-21028</div>  </div> <div> <div>235-21030</div>  </div> <div> <div>235-21032</div>  </div> <div> <div>235-21034</div>  </div> <div> <div>235-21036</div>  </div> <div> <div>235-21038</div>  </div> <div> <div>235-21040</div>  </div>

General Small Cancellous Ø4.0 Screw [Half Thread] : Hexagon Socket Head


제품번호	Thread	Core	Head	길이	가격(원)	형상
240-25012	Ø4.0	Ø2.0	Ø6.0	12	10,000	<div>240-25012</div>  <div>240-25014</div>  <div>240-25016</div>  <div>240-25018</div>  <div>240-25020</div>  <div>240-25022</div>  <div>240-25024</div>  <div>240-25026</div>  <div>240-25028</div>  <div>240-25030</div>  <div>240-25035</div>  <div>240-25040</div>  <div>240-25045</div>  <div>240-25050</div>  <div>240-25055</div>  <div>240-25060</div> 
240-25014	Ø4.0	Ø2.0	Ø6.0	14	10,000	
240-25016	Ø4.0	Ø2.0	Ø6.0	16	10,000	
240-25018	Ø4.0	Ø2.0	Ø6.0	18	10,000	
240-25020	Ø4.0	Ø2.0	Ø6.0	20	10,000	
240-25022	Ø4.0	Ø2.0	Ø6.0	22	10,000	
240-25024	Ø4.0	Ø2.0	Ø6.0	24	10,000	
240-25026	Ø4.0	Ø2.0	Ø6.0	26	10,000	
240-25028	Ø4.0	Ø2.0	Ø6.0	28	10,000	
240-25030	Ø4.0	Ø2.0	Ø6.0	30	10,000	
240-25035	Ø4.0	Ø2.0	Ø6.0	35	10,000	
240-25040	Ø4.0	Ø2.0	Ø6.0	40	10,000	
240-25045	Ø4.0	Ø2.0	Ø6.0	45	12,000	
240-25050	Ø4.0	Ø2.0	Ø6.0	50	12,000	
240-25055	Ø4.0	Ø2.0	Ø6.0	55	12,000	
240-25060	Ø4.0	Ø2.0	Ø6.0	60	12,000	

General Small Cancellous Ø4.0 Screw [Fully Thread] : Hexagon Socket Head







제품번호	Thread	Core	Head	길이	가격(원)	형상
240-27012	Ø4.0	Ø2.0	Ø6.0	12	10,000	<div>240-27012</div>  <div>240-27014</div>  <div>240-27016</div>  <div>240-27018</div>  <div>240-27020</div>  <div>240-27022</div>  <div>240-27024</div>  <div>240-27026</div>  <div>240-27028</div>  <div>240-27030</div>  <div>240-27035</div>  <div>240-27040</div>  <div>240-27045</div>  <div>240-27050</div>  <div>240-27055</div> 
240-27014	Ø4.0	Ø2.0	Ø6.0	14	10,000	
240-27016	Ø4.0	Ø2.0	Ø6.0	16	10,000	
240-27018	Ø4.0	Ø2.0	Ø6.0	18	10,000	
240-27020	Ø4.0	Ø2.0	Ø6.0	20	10,000	
240-27022	Ø4.0	Ø2.0	Ø6.0	22	10,000	
240-27024	Ø4.0	Ø2.0	Ø6.0	24	10,000	
240-27026	Ø4.0	Ø2.0	Ø6.0	26	10,000	
240-27028	Ø4.0	Ø2.0	Ø6.0	28	10,000	
240-27030	Ø4.0	Ø2.0	Ø6.0	30	10,000	
240-27035	Ø4.0	Ø2.0	Ø6.0	35	10,000	
240-27040	Ø4.0	Ø2.0	Ø6.0	40	10,000	
240-27045	Ø4.0	Ø2.0	Ø6.0	45	12,000	
240-27050	Ø4.0	Ø2.0	Ø6.0	50	12,000	
240-27055	Ø4.0	Ø2.0	Ø6.0	55	12,000	

Extra Item : Titanium


Locking Mini Screw [Locking Plate Plug] : Hexagon Socket Head

제품번호	Thread Dia.	Core Dia.	Head Dia.	길이	가격(원)	형 상
220-23002	Ø 2.0	Ø 1.4	Ø 3.0	2.5	3,500	220-23002 


Mini Screw [for Dental]


제품번호	Thread Dia.	Head 대변	식립길이	가격(원)	형 상
312-21006	Ø 1.2	2.4	6	10,000	<div> <div>312-21006 </div> <div>316-21006 </div> <div>314-21008 </div> <div>316-21008 </div> <div>314-21010 </div> <div>316-21010 </div> </div>
314-21008	Ø 1.4	2.4	8	10,000	
314-21010	Ø 1.4	2.4	10	10,000	
316-21006	Ø 1.6	2.4	6	10,000	
316-21008	Ø 1.6	2.4	8	10,000	
316-21010	Ø 1.6	2.4	10	10,000	


Ti-Mesh



제품번호	길이	폭	두께	가격(원)	형 상
150-03050	30	50	0.1	45,000	
150-03550	35	50	0.1	50,000	



Instrument Products

Drill Bits				
제품번호	용도	직경	가격(원)	형 상
901-01011	Φ1.5 Screw 용	Φ1.1	35,000	
901-01015	Φ2.0 Screw 용	Φ1.5	35,000	
901-01020	Φ2.7 Screw 용	Φ2.0	35,000	
901-01025	Φ3.5/4.0 Screw 용	Φ2.5	35,000	
901-01032	Φ4.5 Screw 용	Φ3.2	60,000	

Double Drill Sleeves			
제품번호	Size	가격(원)	형 상
901-02015	Φ1.1 x Φ1.5 Drill Bit	100,000	
901-02027	Φ2.0 x Φ2.5 Drill Bit	100,000	

DCP Drill Guide				
제품번호	용도	직경	가격(원)	형 상
901-03015	Φ1.5 Screw 용	Φ1.1	120,000	
901-03020	Φ2.0 Screw 용	Φ1.5	120,000	
901-03027	Φ2.7 Screw 용	Φ2.0	120,000	
901-03035	Φ3.5/4.0 Screw 용	Φ2.5	120,000	

Locking Screw Drill Guide				
제품번호	용도	직경	가격(원)	형 상
901-03115	Φ1.5 Screw 용	Φ1.1	50,000	<div> <div>901-03115</div>  <div>○ Ø1.2 (Hole)</div> </div> <div> <div>901-03120</div>  <div>○ Ø1.6 (Hole)</div> </div>
901-03120	Φ2.0 Screw 용	Φ1.5	50,000	

Depth Gauge			
제품번호	Size	가격(원)	형 상
901-04020	Φ1.5 ~ Φ2.0 Screw 용 [Mini]	120,000	<div> <div>901-04020</div>  </div> <div> <div>901-04027</div>  </div>
901-04027	Φ2.7 ~ Φ4.0 Screw 용 [Mid]	150,000	











Screw Driver				
제품번호	명칭	용도	가격(원)	형 상
901-05011	Driver Handel [Mini]	Φ1.5 / Φ2.0 Screw 용	100,000	<div> <div>901-05011</div>  </div> <div> <div>901-05012</div>  </div> <div> <div>901-05013</div>  </div>
901-05012	Driver Shaft-Star [Mini]	Φ1.5 Screw 용	35,000	
901-05013	Driver Shaft-Hexa [Mini]	Φ2.0 Screw 용	35,000	
901-05015	Screw Driver-Hexa [Mini]	Φ2.0 Screw 용	100,000	<div> <div>901-05015</div>  </div> <div> <div>901-05027</div>  </div>
901-05027	Screw Driver-Hexa [Mid]	Φ2.7 ~ 4.0 Screw 용	120,000	

Plate Bender				
제품번호	Size	가격(원)	형 상	
901-06010	150(L) x 30(W) x 6.5(H) [Left]	80,000	901-06010	
901-06020	150(L) x 30(W) x 6.5(H) [Right]	80,000	901-06020	

Implant Cutter				
제품번호	명칭	Size	가격(원)	형 상
901-07300	Implant Cutter	L=300	350,000	901-07300 

Instruments Bag				
제품번호	명칭	용도	가격(원)	형 상
901-08010	Instruments Bag [Mini]	Φ1.5 ~ Φ2.0 Screw 용	20,000	
901-08020	Instruments Bag [Mid]	Φ2.7 ~ Φ4.0 Screw 용	30,000	

Tray & Container				
제품번호	명칭 & Size	용도	가격(원)	형 상
901-09010	Tray & Container [Mini] [175(L) x 160(W) x 50(H)]	Φ1.5 / Φ2.0 용	250,000	 
901-09020	Tray & Container [Mid] [270(L) x 280(W) x 70(H)]	Φ2.7 / Φ3.5 / Φ4.0 용	350,000	
901-09030	Tray & Container [Mid] [270(L) x 280(W) x 70(H)]	Φ1.5 / Φ2.7 / Φ3.5 / Φ4.0 용	450,000	